



ADTO TOOLS

FULL-RANGE SUPPLIER OF
HARDWARE&TOOLS





ABOUT US

THE HARDWARE&TOOLS DIVISION

The Hardware&Tools Division is a core business unit of Changsha Xiangjia Metal Materials Co., Ltd. Which is one of ADTO's subsidiaries.

Our business covers the areas of Europe, the United States, Asian areas, Africa and more than 50 countries and regions. The Hardware&Tools Division specializes in the R&D, manufacturing, and sales of power tools, hand tools, garden tools, lithium-ion battery-powered tools, tool sets, and more. We are committed to providing global customers with a full range of high-quality, high-performance hardware tools and integrated service solutions.

We have 5 joint-venture tools factories, equipped with 20 high-standard automated production lines, reaching an annual production capacity exceeding 3000,000 units (sets). Our comprehensive product portfolio includes various professional tools such as cut-off saws, miter saws, angle grinders, variable-frequency brushless cold cut saws, and a full line of lithium-ion battery-powered tools, alongside tool sets, hand tools, garden tools, and etc. Leveraging ADTO's robust resource integration capabilities and global supply chain system, we ensure the superior quality and stable delivery of every product.

HIGH QUALITY TOOLS



CATALOGUE

BRUSHLESS CORDLESS TOOLS SERIES	02-04
CUTTING MACHINE SERIES	05-15
ELECTRIC DRILL / ANGLE GRINDER SERIES	16-19
DEMOLITION HAMMER SERIES	20-21
TOOL SET SERIES	22-37
ACCESSORIES & HAND TOOLS	38-46

FACTORY SHOW



BRUSHLESS CORDLESS TOOLS SERIES

ADTO LITHIUM TOOLS

— HIGH-PERFORMANCE CORDLESS LITHIUM TOOLS



BRUSHLESS CORDLESS TOOLS SERIES



16V/2.0Ah BRUSHLESS CORDLESS DRILL

YTJZ1016

Maximum Clamping Capacity: 10mm
Speed Settings:
 Gear 1: 0-550 rpm
 Gear 2: 0-2000 rpm
Maximum Torque: 55 N·m
Maximum Drilling Capacity:
 Steel: Ø10mm
 Wood: Ø20mm
Torque Settings: 20+1 positions
Output Thread Size: 3/8"-24 UNF



20V/2.0Ah BRUSHLESS CORDLESS DRILL

YTJZ1020

Max. Clamping Capacity: 10mm
Speed Ranges:
 Gear 1: 0-550 rpm
 Gear 2: 0-2000 rpm
Max. Torque: 60 N·m
Max. Drilling Capacity:
 Steel: Ø10mm
 Wood: Ø20mm
Torque Settings: 20+1 positions
Output Thread Size: 3/8"-24 UNF



20V/4.0Ah BRUSHLESS CORDLESS DRILL

YTJZ1040

Maximum Clamping Capacity: 10mm
Speed Settings:
 Gear 1: 0-550 rpm
 Gear 2: 0-2000 rpm
Maximum Torque: 60 N·m
Maximum Drilling Capacity:
 Steel: Ø10mm
 Wood: Ø20mm
Torque Settings: 20+1 positions
Output Thread Size: 3/8"-24 UNF



20V/4.0Ah BRUSHLESS CORDLESS IMPACT WRENCH

YTPB428

Fastening Torque: 430 N·m
Max Loosening Torque: 550 N·m
Impact Frequency: 1600/1800/2200 BPM
Rated Power: 550W
Rated Speed: 1800/2000/2600 RPM
Standard Bolt Capacity: M5~M12
High-Strength Bolt Capacity: M5~M10
Square Drive Size: 12.7mm (1/2 inch)
Recommended Socket Range: 8-19mm



20V/4.0Ah BRUSHLESS CORDLESS IMPACT WRENCH

YTPB580-40

Fastening Torque: 550 N·m
Max Loosening Torque: 650 N·m
Impact Frequency: 2600/3000/3500 BPM
Rated Power: 550W
Rated Speed: 1800/2600/3200 RPM
Standard Bolt Capacity: M12~M24
High-Strength Bolt Capacity: M10~M16
Square Drive Size: 12.7mm (1/2 inch)
Recommended Socket Range: 14-24mm



20V/6.0Ah BRUSHLESS CORDLESS IMPACT WRENCH

YTPB1100-60

Fastening Torque: 1000 N·m
Max Loosening Torque: 1250 N·m
Impact Frequency: 1900/2500/2700 BPM
Rated Power: 600W
Rated Speed: 1800/2600/3200 RPM
Standard Bolt Capacity: M12~M24
High-Strength Bolt Capacity: M10~M18
Square Drive Size: 12.7mm (1/2 inch)
Recommended Socket Range: 14-36mm



20V/6.0Ah BRUSHLESS LITHIUM IMPACT WRENCH

YTPB1700-60

Fastening Torque: 1700 N·m
Max Loosening Torque: 1950 N·m
Impact Frequency: 2400/2500 BPM
Rated Power: 600W
Rated Speed: 1400/1800 RPM
Standard Bolt Capacity: M12~M24
High-Strength Bolt Capacity: M10~M18
Square Drive Size: 12.7mm (1/2 inch)
Recommended Socket Range: 14-36mm



20V/6.0Ah BRUSHLESS LITHIUM ONE-HANDED SAW (CARPENTER'S TEMPLATE SAW)

YTZE150-60

Blade Size: 150mm
Max. Cutting Depth: 51mm
No-Load Speed: 6900 rpm
Bevel Cutting Range: 0-45°



20V/4.0Ah BRUSHLESS LITHIUM ANGLE GRINDER

YTSM100-40

Maximum Output Power: 650W
Max. Grinding Wheel Diameter: 100 mm
Grinding Wheel Bore Diameter: 16 mm
Rated Speed: 9000 rpm
Spindle Thread: M10



20V/4.0Ah BRUSHLESS LITHIUM HAMMER DRILL (LIGHT HAMMER)

YTZC22-40

Rated Power: 850W
Drilling Capacity: Φ22mm
No-Load Speed: 0-1500 rpm
Impact Frequency: 0-4600 bpm



2400MA LASER LEVEL

YTL-5X

Rotating base
Fine adjustment of the base
Laser strobe function
Adjustable laser line intensity



2400MA LASER LEVEL

YTL-12X

Rotating base
Rotating laser window cover
Battery level indicator
Laser strobe function
Adjustable laser line intensity



42-PIECE BRUSHLESS LITHIUM DRILL KIT

YTJZ1020

42-Piece Accessory Kit / Max. Chuck Capacity: 10 mm
Speed:
Gear 1: 0-550 rpm
Gear 2: 0-2000 rpm
Max. Torque: 60 N·m
Max. Drilling Capacity:
Steel: Ø 10 mm
Wood: Ø 20 mm
20+1 Torque Settings
Output Thread Size: 3/8" - 24 UNF

20V/2.0Ah



39-PIECE BRUSHLESS LITHIUM IMPACT WRENCH KIT

YTPB428

39-Piece Accessory Kit
Tightening Torque: 430 N·m
Max. Loosening Torque: 550 N·m
Impact Rate: 1600/1800/2200 bpm
Rated Power: 550 W
Rated Speed: 1800/2000/2600 rpm
Standard Bolt Capacity: M5 ~ M12
High-Strength Bolt Capacity: M5 ~ M10
Square Drive: 12.7 mm (1/2 inch)
Recommended Socket Range: 8 - 19 mm

20V/4.0Ah



CUTTING MACHINE SERIES I

ADTO CUTTER — THE GENUINE CUTTING SPECIALIST

935S

CUT OFF MACHINE

PRODUCT FEATURES:

- Stylish appearance and ergonomic design for reduced fatigue.
- Semi-enclosed large guard for safer operation.
- Upgraded power from 2000W to 2400W for enhanced efficiency and faster work.
- Brush holder structure replaced traditional brush grip for longer brush life.
- Directed airflow design improves motor cooling and overload resistance.
- Quick-clamping system enables fast positioning.



SPECIFICATION

Voltage: 220V~

Frequency: 50/60Hz

Input Power: 2200W

No-load Speed: 3800RPM

Blade Diameter: 355mm

Cutting Angle: 0-45°

Bore Diameter: 25.4mm

CUTTING ABILITY

				
0°	110mm	180x160mm	90x90mm	110x110mm
45°	80mm	65x100mm	65x65mm	65x65mm

939S

CUT OFF MACHINE

PRODUCT FEATURES:

- 2500W Heavy-Duty Motor: Delivers robust power for demanding operations.
- Ergonomic Soft-Rubber Grip: Designed for user comfort and reduced fatigue.
- Thicker and Heavier Base: Ensures exceptional stability for more precise cuts.
- Large Semi-Enclosed Guard: Provides superior operator safety during use.



SPECIFICATION

Voltage: 220V~

Frequency: 50/60Hz

Input Power: 2500W

No-load Speed: 4000RPM

Blade Diameter: 355mm

Cutting Angle: 0-45°

Bore Diameter: 25.4mm

CUTTING ABILITY



0°

110mm

70x180mm

90x90mm

90x90mm

45°

90mm

60x110mm

80x80mm

80x80mm

933C

CUT OFF MACHINE

PRODUCT FEATURES:

- 2200wimproved Stronger Motor For Heavy Duty Operating.
- Humanized Design Of The Handle, Feel More Comfor.
- Tablethicker and Heavier Base, More Stable And Precise When Cutting.
- Double Insulation Is More Safety.



SPECIFICATION

Voltage: 220V~

Frequency: 50/60Hz

Input Power: 2000W

No-load Speed: 3800RPM

Blade Diameter: 355mm

CUTTING ABILITY

				
90°	110mm	70x170mm	90x90mm	90x90mm
45°	90mm	55x110mm	80x80mm	80x80mm

91559

10-INCH MITER SAW

PRODUCT FEATURES:

- Durable tabletop made of aluminum alloy. Capable of 45° bevel cutting.
- Thickened fixed baffle for more precise cuts.
- Vise clamping system for easier operation.
- Semi-enclosed protective cover for enhanced safety.
- 1800W high-power motor for faster cutting.
- Ergonomic rubber-coated handle with anti-vibration function to reduce operator fatigue.



SPECIFICATION

Voltage: 220V~	Frequency: 50/60Hz	Input Power: 1800W	No-load Speed: 5300RPM
Blade Diameter: 255mm	Cutting Angle: 0-45°	Bore Diameter: 25.4mm/30mm	

CUTTING ABILITY


Rotation 0°/Bevel 90°	70x140mm	Rotation 45°/Bevel 90°	70x100mm
Rotation 0°/Bevel 45°	48x135mm	Rotation 45°/Bevel 45°	48x98mm

91555

MITER SAW

PRODUCT FEATURES:

- Extra Wide Die Cast Base Provides Stability When Cutting Work.
- Tool-free 45°adjustable Fence Allows For Fast And Accurate Angle Cuts.
- Humanized Design of The Soft Rubber Handle,feel More Comfortable.
- Sliding Equipment.enlarge More Cutting Capacity.
- Laser Equipment. More Convenient And Precise When Cutting.
- Got Gs,ce and Emc Certificate.



SPECIFICATION

Blade Dia: 255mm

Bore Diameter: 16/25.4mm

No-load speed: 5200RPM

Rated Input Power: 1800W

Rated Voltage: 220V~

Rated Frequency: 50/60Hz

CUTTING ABILITY

0°/90°

89x320mm

45°/190°

89x210mm

0°/45°

42x320mm

45°/145°

42x210mm

H1030-1A LITHIUM BATTERY BRUSHLESS HANDHELD COLD CUT SAW

PRODUCT FEATURES:

- Ergonomic design, suitable for a wide range of users.
- Low-spark cool cutting technology requires no water for cooling.
- Aluminum alloy head housing offers high strength and durability.
- Hardened gears ensure smooth operation without shaking, enabling precise cuts without deviation.
- Grooved design provides effective heat dissipation and vibration damping, resulting in burr-free cuts that require no secondary processing.
- Three-hole mounting system for the auxiliary handle allows for comfortable operation in various working conditions.



Primary Application: Professionally cuts rebar, threaded steel, steel pipes, and channel steel.

SPECIFICATION

Working Voltage: 20V

Ampere-hours: 8Ah

Blade Diameter: 110mm

Max Cutting Capacity: 30mm

Input Power: 1000W

Rated Speed: 2100RPM

Net Weight: 2.6kg

PROUDUCT HIGHLIGHTS



High efficiency



Low wear



Weighs only approx.
2.6kg (battery not
included)



2000W high
power output



Permanent
magnet
brushless motor



Rated for 24/7
continuous
operation without
overheating

1030-2

ELECTRIC BRUSHLESS HANDHELD COLD CUT SAW

PRODUCT FEATURES:

- **Brushless Motor Technology:** Delivers powerful, robust cutting performance.
- **High Power, Superior Capability:** Cuts through 28mm rebar in seconds.
- **Lightweight & Ergonomic:** Weighs only 2kg for fatigue-free operation over extended periods.
- **Hardened Gears:** Minimize vibration for precise, accurate cuts that don't deviate.
- **Clean, Burr-Free Cuts:** Leaves a smooth finish with no discoloration on the cut surface.
- **Primary Application:** Expertly cuts rebar, threaded steel, steel pipes, and channel steel.



SPECIFICATION

Working Voltage: 220V

Rated Frequency: 50/60Hz

No-load Speed: 2100RPM

Net Weight: 3.0kg

Blade Diameter: 110mm

Input Power: 1200W

Max Cutting Capacity: 30mm

PROUDCT HIGHLIGHTS



High efficiency



Low wear



Weighs only approx. 3kg (battery not included)



2000W high power output



Permanent magnet brushless motor



Rated for 24/7 continuous operation without overheating

BRUSHLESS RING SAW

JF8410 BRUSHLESS HOLE SAW (DEEP CUT)

SPECIFICATIONS:

- **Disc Diameter:** 410mm
- **Cutting Depth:** 310mm
- **Rated Input Power:** 6500W
- **No-Load Speed:** 2520r/min
- **Rated Frequency:** 50/60Hz
- **Rated Voltage:** 220-240V~



FEATURES

Engineering level cutting expert

410mm ring saw blade design with teeth, large cutting depth 310mm, applicable to doors, windows, steel bars, and concrete
10KGS lightweight design, can be lifted with one hand, lightweight and powerful

Brushless AC motor, high-power design, load up to 6000W, high-speed design, reinforced concrete every 4 minutes per meter, red brick lightweight brick every 2 minutes per meter, cutting more efficiently

Toothed non adjustable saw blade design, simpler installation, more convenient use, and efficient operation,

Multi angle water spray structure, no need for a water spray disc, simpler structure, better water spray effect, effectively discharging stone particles and iron filings efficiently, faster cooling of saw blades, and more durable

Point touch dual press start switch design, safer to use, patented handle design, more stable cutting, more efficient

BRUSHLESS CUTTING MACHINE

JF7370 BRUSHLESS WALL CHASER (FREE CUT)

SPECIFICATIONS:

- **Disc Diameter:** 370mm
- **Cutting Depth:** 160mm
- **Rated Input Power:** 6000W
- **No-Load Speed:** 4700r/min
- **Rated Frequency:** 50/60Hz
- **Rated Voltage:** 220-240V~



FEATURES

- Large torque, heavy load, smooth cutting
- Efficient slotting and deeper cutting
- 6000W high-power brushless motor
- 4700r/min high torque smooth cutting
- 370mm cutting blade, cutting depth reach to 160mm
- Multiple waterproof, safer and lightweight design
- Imported dustproof and waterproof bearings
- Quick adjustable blade cover with no dead corners for more convenient cutting
- Two bearings design for two-stage deceleration front cover
- Alloy two-stage large modulus gear configuration

BRUSHLESS CUTTING MACHINE

JF7370-1 BRUSHLESS WALL CHASER (FLUSH CUT)

SPECIFICATIONS:

- **Disc Diameter:** 370mm
- **Cutting Depth:** 160mm
- **Rated Input Power:** 6000W
- **No-Load Speed:** 4700r/min
- **Rated Frequency:** 50/60Hz
- **Rated Voltage:** 220-240V~



FEATURES

- Cutting without dead corners on the side, more professional
- Large pressure plate design for smoother grip
- Tangent and inverse tangent are interchangeable, more convenient
- 370mm saw blade maximum cutting depth: 150mm
- M5 and M6 pressure plate hole spacing options are available for greater stability
- 6000W high-power brushless motor
- 4700r/m high torque smooth cutting
- Multiple waterproof, safer and lightweight design
- Imported dustproof and waterproof bearings
- Quick adjustable blade cover with no dead corners for more convenient cutting
- Two bearings design for two-stage deceleration front cover
- Alloy two-stage large modulus gear configuration

ELECTRIC DRILL / ANGLE GRINDER SERIES |

ADTO DRILL — HIGH-PERFORMANCE DRILLING EXPERT.
BUILT FOR THE TOUGHEST JOBS.



ELECTRIC DRILL / IMPACT DRILL



ELECTRIC DRILL



ELECTRIC DRILL



IMPACT DRILL

MODEL | 6006A

Drill Diameter: Steel	6.5mm
Wood	20mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	400W
No Load Speed	0-4300RPM
Pcs/Ctn	10pcs
G.W./N.W.	15.3kg/14.3kg
Carton Size	37.5x25x47cm

Drill Diameter: Steel	10mm
Wood	25mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	450W
No Load Speed	0-3300RPM
Pcs/Ctn	10pcs
G.W./N.W.	16.5kg/15.5kg
Carton Size	37.5x26.5x50cm

MODEL | 6138A

Drill Diameter: Steel	13mm
Wood	35mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	710W
No Load Speed	0-2800RPM
Pcs/Ctn	10pcs
G.W./N.W.	22kg/21kg
Carton Size	40x29x55cm



IMPACT DRILL



IMPACT DRILL

MODEL | 6139A

Drill Diameter: Steel	13mm
Wood	35mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	810W
No Load Speed	0-2800RPM
Pcs/Ctn	10pcs
G.W./N.W.	23kg/22kg
Carton Size	40x29x55cm

MODEL | 6138D-750/850

Drill Diameter: Steel	13mm
Wood	35mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	750W/850W
No Load Speed	0-2800RPM
Pcs/Ctn	10pcs
G.W./N.W.	21kg/20kg
Carton Size	40x29x55cm



IMPACT DRILL



IMPACT DRILL

MODEL | 6137A

Drill Diameter: Steel	13mm
Wood	40mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	1050W
No Load Speed	0-2800RPM
Pcs/Ctn	10pcs
G.W./N.W.	25kg/24kg
Carton Size	42.5x30.5x55cm

6132

Drill Diameter: Steel	13mm
Wood	40mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	1050W
No Load Speed	0-1100/0-3100RPM
Pcs/Ctn	5pcs
G.W./N.W.	17kg/16kg
Carton Size	47.5x34.5x27.5cm



ELECTRIC DRILL



ELECTRIC DRILL

MODEL | 6166

Drill Diameter: Steel	16mm
Wood	32mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	1200W
No Load Speed	950RPM
Pcs/Ctn	5pcs
G.W./N.W.	22kg/21kg
Carton Size	69x37x31cm

6191

Drill Diameter: Steel	16mm
Wood	34mm
Rated Voltage	220-240V~
Rated Frequency	60/50Hz
Rated Input Power	1600W
No Load Speed	1050RPM
Pcs/Ctn	5pcs
G.W./N.W.	23kg/22kg
Carton Size	69x39x31cm

ANGLE GRINDER

DESCRIPTION

- Slim body and new shape
- High torque motor and long life spans
- High power and high endurance



DESCRIPTION

- Slim body and new shape
- High torque motor and long life spans
- High power and high endurance



SPECIFICATIONS

AT3103A-5

Disc diameter: 100mm/115mm/125mm
Voltage & Frequency :220V-230V & 50Hz-60Hz
No-load Speed: 11000r/min
Input power :710W
Net Weight:1.7kg

AT3103A-1

Disc diameter: 115mm/125mm
Voltage & Frequency :220V-230V & 50Hz-60Hz
No-load Speed: 11000r/min
Input power :900W
Net Weight:1.9kg

DESCRIPTION

- 1600W High Power for sturdiness and durable use



DESCRIPTION

- Internal and automatic cut off brushes !



SPECIFICATIONS

AT3122X


Disc diameter: 150mm/180MM
Voltage & Frequency :220V-230V & 50Hz-60Hz
No-load Speed:7700r/min
Input power :1600W
Net Weight:3.6kg

AT3134X

Disc diameter: 180mm/230mm
Voltage & Frequency :220V-230V & 50Hz-60Hz
No-load Speed:8000/6000r/min
Input power :2000W
Net Weight:5.0kg

DEMOLITION HAMMER SERIES |

ADTO DEMOLITION HAMMER — THE POWERHOUSE FOR
CONCRETE & REBAR. DOUBLE YOUR EFFICIENCY.



DEMOLITION HAMMER SERIES



MODEL

HR26B2

Rated Voltage: 110V/230V~
Frequency: 60Hz/50Hz
Rated input Power: 1050W
No-load Speed: 800r/min
Impact Rate: 4600Bpm
Drill Capacity: Φ 26mm
Impact energy: 4.6J

HR30

Rated Voltage: 110V/230V~
Frequency: 60Hz/50Hz
Rated input Power: 1300W
No-load Speed: 1050r/min
Impact Rate: 5000Bpm
Drill Capacity: Φ 30mm
Impact energy: 6J

HD35W

Rated Voltage: 110V/230V~
Frequency: 60Hz/50Hz
Rated input Power: 1300W
Impact Rate: 3600Bpm
Impact energy: 25J



MODEL

HD38B

Rated Voltage: 110V/230V~
Frequency: 60Hz/50Hz
Rated input Power: 1400W
Impact Rate: 3700Bpm
Impact energy: 34J

HD65

Rated Voltage: 110V/230V~
Frequency: 60Hz/50Hz
Rated input Power: 1300W
Impact Rate: 1800Bpm
Impact energy: 45J

HD120

Rated Voltage: 110V/230V~
Frequency: 60Hz/50Hz
Rated input Power: 1700W
Impact Rate: 1900Bpm
Impact energy: 68J

TOOL SET SERIES I

ADTO TOOL SETS — YOUR CUSTOM KIT SPECIALIST



488PCS

COMBINATION REPAIR TOOLS CAR SET

116 PSC



187 PSC



37 PSC



29 PSC



52 PSC



66 PSC



MODEL

ADTOTCA001

Tool Set Size

565x395mm

Tools Set PAcKING Size

575x405x170mmx2

Tool Set Packing Weight

45.1KG

Tool car Size

750x450x965mm


Tool Car Packing Size

815x510x855mm

Tool Car Weight

63KG(GW)/58KG(NW)





WIB-198 116PCS 1/2"DRIVS SOCKET SET

1/2" DRIVE

25PCS 1/2"Socket:
8.9.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.25.26.27.28.30.32.34.36mm

12PCS 1/2" Deep Socket:
10.12.13.14.15.16.17.18.19.21.22.24mm

9PCS 1/2" Torx Socket:
E10.E11.E12.E14.E16.E18.E20.E22.E24mm

12PCS 1/2" Socket Bit:
H5.H6.H7.H8.H10.T30.T40.T45.T50.T55.M8.M10

3PCS 1/2" Extension Bar: 3".5".10"

3PCS 1/2" Wheel Protection Impact

Socket: 17.19.21mm

2PCS 1/2" Spark Plug Socket: 16.21mm

2PCS 1/2" Drain Plug Bit Socket: M16.H17

2PCS 1/2" Bit socket: 8.10mm

1PC 1/2" L-Type Handle

1PC 1/2" Universal Joint

1PC 1/2" Ratchet Handle

1PC 1/2"Telescopic Rathet Wrench)


1PC Shock Absorber Disassembly Socket

1PC Adpater: 1/2"(F)-3/8"(M)

39PCS Bits:
H4.H5.H5.5.H6.H6.5.H7.H8.H10.H12.H14.T10.T15.T20.T25.T27.T30.T35.T40.T45.T50.T55.T60.T70.M5.M6.M8.M10.SL6.5.SL8.SL10.SL12.PH3.PH4.PZ3.PZ4.TT40.TT45.TT50.TT55

Blow molded plate

QUANTITY	3SETS
N.W(kg)	11
Carton Size(cm)	565x395



WIB-197 187PCS 1/4"&3/8"DRIVS SOCKET SET

1/4" DRIVE

32PCS 1/4" Socket Bits:
PH1.PH2.PH3.PZ1.PZ2.PZ3.H3.H4.H5.H6.H7.T8.T9.T10.SL5.5.SL7.TT8.TT9.TT10.TT15.TT20.TT25.TT27.TT30.T15.T20.T25.T27.T30.T35.T40.SL4

14PCS 1/4" Socket: 4.4.5.5.5.5.6.6.5.7.8.9.10.11.12.13.14mm

11PCS 1/4" Deep Socket: 4.5.6.7.8.9.10.11.12.13.14mm

6PCS 1/4" Torx Socket: E4.E5.E6.E7.E8.E10

4PCS 1/4" Extension Bar: 2", 4", 6", 10"

1PC 1/4" Spinner Handle

1PC 1/4" Sliding Bar

1PC 1/4" Flexible Extension Cord: 150mm

1PC 1/4" L-Type Handle

1PC 1/4" Bit Socket

3/8" DRIVE

26PCS 3/8" Bit Socket:
PH1.PH2.PH3.PZ1.PZ2.PZ3.H3.H4.H5.H6.H7.H8.SL5.5.SL6.5.SL8.T10.T15.T20.T25.T27.T30.T40.T45.T50.T55.T60

17PCS 3/8" Socket:
6.7.8.9.10.11.12.13.14.15.16.17.18.19.21.22.24mm

14PCS 3/8" Deep Socket:
8.9.10.11.12.13.14.15.16.17.18.19.21.22mm

8PCS 3/8" Torx Socket:E8.E10.E11.E12.E14.E16.E18.E20

3PCS 3/8" Extension Bar: 3".6".10"

3PCS 3/8" Spark Plug Socket: 14mm.16mm.21mm

2PCS 3/8" Bit Socket: 8mm. 10mm

2PCS Adpater: 3/8"(F)-1/4"(M).1/4"(F)-3/8"(M).

3PCS AD Extension Bar: 1/4"-65mm.3/8"-65mm.1/2"-72mm

2PCS Ratchet Handle: 1/4".3/8"

2PCS Universal Joint: 1/4".3/8"

32PCS Bits Box: S3.S4.S5.5.S6.5.S7.H2.H2.5.H3.H4.H5.H6.T8.T9.T10.T15.T20.T25.T27.T27.T40PH1.PH2.PH2.PH3.PH3.P

Z1.PZ2.PZ2.PZ3.PZ3.AD.

1PC 3/8" Three Way Adapter 3/8"

Blow molded plate

QUANTITY	3SETS
N.W(kg)	7.7
Carton Size(cm)	565x395



37 PCS CrV 50BV30 DIN

WIB-196 37PCS WRENCH SET

- 17PCS Combination Wrench:**
6.7.8.9.10.11.12.13.14.15.16.17.18.19.21.22.24mm
- 9PCS Bi-Hex Ring Spanner:**
6x7.8x10.9x11.12x14.13x15.16x18.17x19.18x21.22x24mm
- 6PCS Ratchet Combination Wrench:**
10.12.13.14.17.19mm
- 4PCS Mirror Flare Nut Wrench:**
8x10.10x12.13x14.17x19mm
- 1PC Adjustable Wrench: 12"**

Blow molded plate

QUANTITY	3SETS
N.W(kg)	6.7
Carton Size(cm)	565x395



29 PCS CrV 50BV30 DIN 72T

WIB-195 29PCS SCREWDRIVER SETS

- 6PCS Screwdriver:**
⊕ 6x38. 3x75. 6x100. 6x38. 3x75. 6x100
- 6PCS Stud Extractor Set:**
- 4PCS 7" Criclip Pliers:** Straight. Bent. External. Internal
- 4PCS Go-through Screwdriver:**
⊕ 6x150. ⊖ 6x150. ⊕ 8x200. ⊖ 8x200
- 4PCS Oil Seal Screwdriver**
- 1PC 6" Long Nose Plier**
- 1PC 6" Diagonal Cutting Plier**
- 1PC 8" Combination Plier**
- 1PC 8" Slip Joint Plier**
- 1PC 10" Locking Plier**

Blow molded plate

QUANTITY	3SETS
N.W(kg)	4.6
Carton Size(cm)	565x395



52 PCS CrV 50BV30 DIN 72T

WIB-194 52PCS INTEGRATED TOOL SET

- 14PCS Feeler Gauge: 100x14(0.05mm-1mm)
- 10PCS Hex Key Wrench
- 10PCS Torx Key Wrench
- 5PCS Punching Set
- 1PC Ball Hammer: 1.5lb
- 1PC Fitter Hammer: 300g
- 1PC Tape Measure: 5m
- 1PC Three-Grip Filter Wrench
- 1PC Tire Inflating
- 1PC Utility Knife
- 1PC 1/2"Torque Wrench 20-220NM
- 1PC 1/2"Telescopic Rathet Wrench
- 1PC Voltage Tester
- 1PC Blow Gun
- 1PC Telescopic Magnetic Pick Up With Mirror
- 1PC Telescopic Magnetic Pick Up Tool

Blow molded plate

QUANTITY	3SETS
N.W(kg)	6.2
Carton Size(cm)	565x395



66 PCS CrV 50BV30 DIN 72T 3/8"

WIB-193 66PCS AUTO MAINTENANCE TOOL SET

- 20PCS 3/8" Oil Pan Bolt Set:
 - 5/16".3/8".7.8.10.11.12.13.14. ▲ 10mm.
 - H8.H9.H10.H12.H13.H14.H17. □ 10mm.XT45.M16
- 12PCS Brake Calioer Adjustment Set
- 8PCS Brake Pad Thickness Ruler(2-12mm)
- 8PCS Bowl Filter Wrench
- 901.902.904.905-1.911-1.27/6P.32/6P.36/6P
- 7PCS Fue Line Disconnct
- 5PCS Crow Plate
- 4PCS Oxy Sensor Wrench
- 1PC 1/2"Telescopic Rathet Wrench

Blow molded plate

QUANTITY	3SETS
N.W(kg)	6.9
Carton Size(cm)	565x395

COMBINATION REPAIR TOOLS SET



ADTOCT001 25PCS 1/2"DRIVE SOCKET SET

17PCS 1/2"socket:

10.11.12.13.14.15.16.17.18.19.20.21.22.24.27.30.32mm

2PCS 1/2"Spark plug socket: 16mm.21mm

2PCS 1/2"Extension bar: 125mm.250mm

1PC 1/2"3 way Adaptor

1PC 1/2"Universal Joint

1PC 1/2"Flexible Handle 15"

1PC 1/2"72T Ratchet Handle



ADTOCT002 32PCS 1/2"DRIVE SOCKET SET

19PCS 1/2"socket:

8.9.10.11.12.13.14.15.16.17.18.19.20.21.22.24.27.

30.32mm

6PCS 1/2"12PT Socket: 10.12.14.15.17.19mm

2PCS 1/2"Spark plug socket: 16mm.21mm

2PCS 1/2"Extension bar: 125mm.250mm

1PC 1/2"3 way Adaptor

1PC 1/2"Universal Joint

1PC 1/2"72T Ratchet Handle

QUANTITY	6SETS
N.W(kg)	24.8
Carton Size(cm)	47x38x24

QUANTITY	6SETS
N.W(kg)	24.8
Carton Size(cm)	45.5x32x26



ADTOCT0003 46PCS 1/4"DRIVS SOCKET SET

13PCS 1/4"Socket:

4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm

2PCS 1/4"Extension Bar: 50mm,100mm

1PC 1/4"Spinner Handle 150mm

1PC 1/4"Flexibie Extension Bar 150mm

1PC 1/4"Sliding Bar 115mm

1PC 1/4"Universal Joint

1PC 1/4"25mmL Hex Bit Adaptor

1PC 1/4"72T Ratchet Handle

3PCS Hex key wrench: 1.5.2.2.5mm

21PCS Bits Socket:T10.15.20.25.30.40.PH1.PH2.PH3

PZ1.PZ2.PZ3.H3.H4.H5.H6.H7.H8.SL4.SL5.5.SL7

QUANTITY	24SETS
N.W(kg)	31
Carton Size(cm)	46.5x29.5x32



ADTOCT0004 53PCS 1/4"DRIVS SOCKET SET

7PCS 1/4"Deep Socket: 6.7.8.10.12.13.14mm

2PCS 1/4"Extension Bar: 50mm,100mm

1PC 1/4"Spinner Handle 150mm

1PC 1/4"Flexibie Extension Bar 150mm

1PC 1/4"Sliding Bar 115mm

1PC 1/4"Universal Joint

1PC 1/4"25mmL Hex Bit Adaptor

1PC 1/4"72T Ratchet Handle

3PCS Hex key wrench:1.5.2.2.5mm

21PCS Bits Socket:

T10.15.20.25.30.40.PH1.PH2.PH3PZ1.PZ2.PZ3.H3.H4.

H5.H6.H7.H8.SL4.SL5.5.SL7

QUANTITY	15SETS
N.W(kg)	24.8
Carton Size(cm)	52.5x26.5x26.5



ADTOCT0005 61PCS 1/4\"/>

13PCS 1/4\"/>

4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm

2PCS 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

18PCS 1/2\"/>

10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.27.30.

32mm

2PCS 1/2\"/>

2PCS 1/2\"/>

1PC 1/2\"/>

1PC 1/3\"/>

1PC 1/2\"/>

3PCS Hex key set: 1.5.2.2.5mm

12PCS combination spanners:

8.9.10.11.12.13.14.15.16.17.18.19mm

QUANTITY	5SETS
N.W(kg)	29.7
Carton Size(cm)	40x39.5x30.5



ADTOCT0006 82PCS 1/4\"/>

13PCS 1/4\"/>

4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm

2PCS 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

1PC 1/4\"/>

17PCS Bits Socket:

H3.4.5.6,PH1.2.PZ1.2.T10.15.20.25.27.30.SL4.6.5

12PCS 1/2\"/>

14.15.16.17.18.19.21.22.24.27.30.32mm

2PCS 1/2\"/>

2PCS 1/2\"/>

1PC 1/2\"/>

1PC 1/2\"/>

1PC 1/2\"/>

1PC 1/2\"/>

15PCS Bits H8x30mmL:

SL8.10.12.PZ3.PZ4.PH3.PH4.TX40.45.50.55.HEX8.

10.12.14

QUANTITY	5SETS
N.W(kg)	29.4
Carton Size(cm)	40x39.5x30.5



ADTOCT0007 94PCS 1/4\"&1/2\" DRIVS SOCKET SET

13PCS 1/4\"Socket:

4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm

8PCS 1/4\"Deep Socket: 6.7.8.9.10.11.12.13mm

5PCS 1/4\"E-type Sockets: E4.5.6.7.8mm

2PCS 1/4\"Extension Bar: 50mm,100mm

1PC 1/4\"Spinner Handle 150mm

1PC 1/4\"Universal Joint

1PC 1/4\"Sliding Bar 115mm

1PC 1/4\"72T Ratchet Handle

17PCS Bits Socket:

H3.4.5.6,PH1.2.PZ1.2.T8.10.15.20.25.30.SL4.5.5.7

18PCS 1/2\"Socket:

10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.27.30.32mm

4PCS 1/2\"Deep Socket:14.15.17.19mm

2PCS 1/2\"Extension bar 125mm .250mm

2PCS 1/2\"Spark plug socket 16mm .21mm

1PC 1/2\"Universal join

1PC 1/2\"3 Way adaptor

1PC 1/2\"Bits Holder5/16\"

1PC 1/2\"72T Ratchet Handle

3PCS Hexk ey wrench: 1.5.2.2.5mm

15PCS Bits H8x30mmL:

SL8.10.12.PZ3.PZ4.PH3.PH4.TX40.45.50.55.

HEX8.10.12.14

QUANTITY	5SETS
N.W(kg)	31
Carton Size(cm)	40x39.5x30.5



ADTOCT0008 108PCS 1/4\"&1/2\" DRIVS SOCKET SET

13PCS 1/4\"Socket:

4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm

8PCS 1/4\"Deep Socket: 6.7.8.9.10.11.12.13mm

5PCS 1/4\"E-type Sockets: E4.5.6.7.8mm

2PCS 1/4\"Extension Bar: 50mm,100mm

1PC 1/4\"Spinner Handle 150mm

1PC 1/4\"Universal Joint

1PC 1/4\"Sliding Bar 115mm

1PC 1/4\"72T Ratchet Handle

18PCS Bits Socket:

H3.4.5.6,PH1.2.PZ1.2.T8.10.15.20.25.27.30.SL4.5.5.7

17PCS 1/2\"Socket:

10.11.12.13.14.15.16.17.18.19.20.21.22.24.27.30.32mm

8PCS 1/2\"E-type Sockets:

E10.11.12.14.16.18.20.24mm

5PCS 1/2\"Deep Socket: 14.15.17.19.22mm

2PCS 1/2\"Extension bar 125mm .250mm

2PCS 1/2\"Spark plug socket 16mm .21mm

1PC 1/2\"Universal join

1PC 1/2\"3 Way adaptor

1PC 1/2\"Bits Holder5/16\"

1PC 1/2\"72T Ratchet Handle

3PCS Hexk ey wrench: 1.5.2.2.5mm

17PCS Bits H8x30mmL:

SL8.10.12.PZ3.PZ4.PH3.PH4.TX40.45.50.55.60.

HEX7.8.10.12.14

QUANTITY	5SETS
N.W(kg)	34.1
Carton Size(cm)	40x39.5x30.5



ADTOCT0009 58PCS 1/4\"&1/2\" DRIVS SOCKET SET

- 6PCS 1/4"Socket:** 8.9.10.11.12.13mm
- 1PC 1/4"Spinner Handle 150mm**
- 1PC 1/4"Bits Holder**
- 10PCS 1/2"Socket:** 10.11.12.13.14.17.19.22.24.27mm
- 2PCS 1/2"Spark plug socket:** 16mm .21mm
- 1PC 1/2"Extension Bra 125mm**
- 1PC 1/2"Universal Joint**
- 1PC 1/2"72T Ratchet Handle**
- 1PC 7"Combination pliers**
- 1PC 10"D4 type groove joint pliers**
- 1PC 400g Machinist Hammer**
- 3PCS Hexkey wrench:** 1.5.2.2.5mm
- 5PCS Screwdriver:**
PH2X38.SL6X38.PH2X100.SL6X100.PH2X150mm
- 6PCS Combination spanner:**10.12.13.14.15.17mm
- 18PCS Bits 25mmL:**
T10.15.20.25.27.30.40.PZ1.2.SL4.5.5.7.H3.4.5.6.PH1.2

QUANTITY	5SETS
N.W(kg)	27.2
Carton Size(cm)	40X39.5X30.5



ADTOCT0010 72PCS 1/4\"&1/2\" DRIVS SOCKET SET

- 9PCS 1/4"Socket:** 4.5.6.7.8.9.10.11.12mm
- 4PCS 1/4"Deep Socket:** 8.10.12.13mm
- 1PC 1/4"Extension Bra 100mm**
- 1PC 1/4"Universal Joint**
- 1PC 1/4"Sliding Bar 115mm**
- 1PC 1/4"Spinner Handle 150mm**
- 1PC 1/4"Bits Holder**
- 1PC 1/4"72T Ratchet Handle**
- 13PCS 1/2"Socket:**
13.14.15.16.17.18.19.21.22.24.27.30.32mm
- 5PCS 1/2"Deep Socket:** 14.15.17.19.22mm
- 1PC 1/2"Extension Bra 125mm**
- 1PC 1/2"Universal Joint**
- 1PC 1/2"72T Ratchet Handle**
- 1PC 7"Combination pliers**
- 1PC 10"D4 type groove joint pliers**
- 1PC 400g Machinist Hammer**
- 2PCS Screwdriver:** PH2X100.SL6X100mm
- 7PCS Combination spanner:** 10.12.13.14.15.17.19mm
- 20PCS Bits 25mmL:**
H3.4.5.6.PH1.2.3.PZ1.2.3.T10.15.20.25.27.30.SL4.5.5.6.5

QUANTITY	5SETS
N.W(kg)	29.5
Carton Size(cm)	40X39.5X30.5



ADTOCT0011 76PCS 1/4\"&1/2\" DRIVS SOCKET SET

- 12PCS 1/4\"Socket:** 4.4.5.5.5.5.6.7.8.9.10.11.12.13mm
- 5PCS 1/4\"Deep Socket:** 9.10.11.12.13mm
- 1PC 1/4\"Extension Bra 100mm**
- 1PC 1/4\"Universal Joint**
- 1PC 1/4\"Spinner Handle 150mm**
- 1PC 1/4\"Bits Holder**
- 1PC 1/4\"72T Ratchet Handle**
- 13PCS 1/2\"Socket:**
10.11.12.13.14.15.17.19.22.24.27.30.32mm
- 2PCS 1/2\"Spark plug socket:**16mm .21mm
- 2PCS 1/2\"Extension Bra:**125mm.250mm
- 1PC 1/2\"Universal Joint**
- 1PC 1/2\"3 Way Adaptor**
- 1PC 1/2\"72T Ratchet Handle**
- 1PC 7\"Combination pliers**
- 1PC 10\"D4 type groove joint pliers**
- 1PC 400g Machinist Hammer**
- 3PCS Hex key set:** 1.5.2.2.5mm
- 5PCS Screwdriver:**
PH2X38.SL6X38.PH2X100.SL6X100.PH2X150mm
- 8PCS Spanners:** 10.11.12.13.14.15.17.19mm
- 14PCS Bits 25mmL:**
H3.4.5.6.SL4.5.5.6.5.T10.15.20.25.30.PH1.2.3

QUANTITY	4SETS
N.W(kg)	29.4
Carton Size(cm)	42X35.5X33



ADTOCT0012 77PCS 1/4\"&1/2\" DRIVS SOCKET SET

- 13PCS 1/4\"Socket:**
4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm
- 1PC 1/4\"Extension Bra 100mm**
- 1PC 1/4\"Universal Joint**
- 1PC 1/4\"Sliding Bar 115mm**
- 1PC 1/4\"72T Ratchet Handle**
- 18PCS1/2\"Socket:**8.10.11.12.13.14.15.16.17.18.19.20.
21.22.24.27.30.32mm
- 2PCS 1/2\"Spark plug socket:** 16mm .21mm
- 1PC 1/2\"Extension Bra:** 250mm
- 1PC 1/2\"Universal Joint**
- 1PC 1/2\"3 Way Adaptor**
- 1PC 1/2\"72T Ratchet Handle**
- 1PC 6\"Cutting Pliers**
- 1PC 7\"Combination pliers**
- 1PC 400g Machinist Hammer**
- 2PCS Screwdriver:** PH2X100.SL6X100mm
- 8PCS Spanners:** 8.10.11.12.13.14.17.19mm
- 9PCS Hex key set:** 1.5.2.2.5.3.4.5.6.8.10mm
- 14PCS Bits Socket:**
TX10.15.20.25.30.PZ1.PZ2.PH1.PH2.PH3.H3.4.5.6

QUANTITY	4SETS
N.W(kg)	26
Carton Size(cm)	42X35.5X33



ADTOCT0013 88PCS 1/4\"&1/2\" DRIVS SOCKET SET

- 11PCS 1/4"Socket: 4.4.5.5.5.5.6.7.8.9.10.11.12mm
- 2PCS 1/4"Extension Bra: 50mm.100mm
- 1PC 1/4"Universal Joint
- 1PC 1/4"Spinner Handle 150mm
- 1PC 1/4"Bits Holder
- 1PC 1/4"72T Ratchet Handle
- 11PCS 1/2"Socket: 13.14.15.16.17.18.19.20.21.22.24mm
- 2PCS 1/2"Extension Bra: 125mm, 250mm
- 1PC 1/2"Universal Joint
- 1PC 1/2"3 Way Adaptor
- 1PC 1/2"72T Ratchet Handle
- 1PC 6"Long Nose pliers
- 1PC 6"Cutting Pliers
- 1PC 7"Combination pliers
- 1PC 8"Adjustable wrench
- 1PC 400g Machinist Hammer
- 1PC Measuring tape5mm
- 1PC Chtter knife
- 1PC Aluminium level
- 9PCS Hex key set: 1.5.2.2.5.3.4.5.6.8.10mm
- 6PCS Screwdriver:
- PH1X75.SL3.5X75.PH2X38.SL6X38.PH2X100.SL6X100mm
- 32PCS Quick-holder screwdriver bits set

QUANTITY	4SETS
N.W(kg)	26.3
Carton Size(cm)	42X35.5X33



ADTOCT0014 92PCS 1/4\"&1/2\" DRIVS SOCKET SET

- 12PCS 1/4"Socket: 4.4.5.5.5.5.6.7.8.9.10.11.12.13mm
- 2PCS 1/4"Extension Bra: 50mm.100mm
- 1PC 1/4"Universal Joint
- 1PC 1/4"Spinner Handle 150mm
- 1PC 1/4"Bits Holder
- 1PC 1/4"72T Ratchet Handle
- 11PCS 1/2"Socket:14.15.16.17.18.19.20.21.22.24.27mm
- 2PCS 1/2"Spark plug socket: 16mm .21mm
- 1PC 1/2"Extension Bra: 125mm
- 1PC 1/2"Universal Joint
- 1PC 1/2"72T Ratchet Handle
- 1PC 6"Cutting Pliers
- 1PC 7"Combination pliers
- 1PC 10"D4 type groove joint pliers
- 1pc machinist hammer400g
- 1PC Measuring tape5mm
- 9PCS Hex key set: 1.5.2.2.5.3.4.5.6.8.10mm
- 4PCS Screwdriver: PH2X100.SL6X100.PH2X150.SL6X100mm
- 8PCS combination spanners: 8.10.11.12.13.14.15.17mm
- 32PCS Quick-holder screwdriver bits set

QUANTITY	4SETS
N.W(kg)	28.7
Carton Size(cm)	42X35.5X33



ADTOCT0015 116PCS 1/4\"/>

- 13PCS 1/4"Socket:** 4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm
- 6PCS 1/4"Deep Socket:** 4.5.6.7.8.9mm
- 1PC 1/4"Extension Bra 100mm**
- 1PC 1/4"Universal Joint**
- 1PC 1/4"Sliding Bar 115mm**
- 1PC 1/4"Spinner Handle 150mm**
- 1PC 1/4"Bits Holder**
- 1PC 1/4"72T Ratchet Handle**
- 17PCS 1/4"Bits Socket:**
- T10.15.20.25.30.PZ1.2.3.PH1.2.3.H3.4.5.6.SL4.5.5
- 15PCS 1/2"Socket:**
- 12.13.14.15.16.17.18.19.20.21.22.24.27.30.32mm
- 6PCS 1/2"Deep Socket:** 10.12.13.14.17.19mm
- 2PCS 1/2"Spark plug socket:** 16mm .21mm
- 1PC 1/2"Extension Bra 250mm**
- 1PC 1/2"Universal Joint**
- 1PC 1/2"3 Way Adaptor**
- 1PC 1/2"72T Ratchet Handle**
- 1PC 6"Long Nose pliers**
- 1PC 7"Combination pliers**
- 1PC 10"D4 type groove joint pliers**
- 1PC 400g Machinist Hammer**
- 4PCS Screwdriver:**
- PH2X100.SL6X100.PH2X150.SL6X150mm
- 9PCS Hexkey wrench:** 1.5.2.2.5.3.4.5.6.8.10mm
- 9PCS Combination spanner:**
- 8.10.12.13.14.15.16.17.19mm
- 20PCS Bits 25mmL:**
- H3.4.5.6.PH1.2.3.PZ1.2.3.T10.15.20.25.27.30.SL4.5.5.6.5

QUANTITY	3SETS
N.W(kg)	27.8
Carton Size(cm)	48X28X35



ADTOCT0016 121PCS 1/4\"/>

- 10PCS 1/4"Socket:** 4.5.6.7.8.9.10.11.12.13mm
- 4PCS 1/4"Deep Socket:** 8.9.10.12mm
- 1PC 1/4"Extension Bar: 50mm**
- 1PC 1/4"Universal Joint**
- 1PC 1/4"Spinner Handle 150mm**
- 1PC 1/4"Bits holder**
- 1PC 1/4"72T Ratchet**
- 10PCS 3/8"Socket:** 9.10.11.12.13.14.15.17.18.19mm
- 8PCS 3/8"E-type Sockets:** E8.10.11.12.14.16.18.20mm
- 4PCS 3/8"Deep Socket:** 13.14.15.17mm
- 2PCS 3/8"Spark Plug Socket16mm.21mm**
- 2PCS 3/8"Extension Bar 75mm.150mm**
- 1PC 3/8"Universal Joint**
- 1PC 3/8"72T Ratchet**
- 17PCS 3/8"Bits Socket:**
- T20.30.40.45.50.55.H3.4.5.6.8.PH1.2.PZ1.2.SL5.5.6.5
- 7PCS 1/2"Socket:** 20.21.22.24.27.30.32mm
- 2PCS 1/2"Extension bar 125mm .250mm**
- 1PC 1/2"Bits Socket T52 100mmL**
- 1PC 1/2"Universal join**
- 1PC 1/2"72T Ratchet**
- 1PC Auto Tester 6-12V**
- 1PC oil fliter wrench**
- 2PCS Adaptor1/4"Fx3/8"M. Adaptor 3/8"FX1/4"M**
- 2PCS Screwdriver:** PH2X100.SL6X100mm
- 9PCS Hexkey wrench:** 1.5-2.2.5-3-4-5-6-8-10mm
- 11PCS Spanners:** 8.9.10.11.12.13.14.16.17.18.19mm
- 18PCS Bits25mmL:**
- T10.15.20.25.27.30.40.PZ1.2.SL4.5.5.7.H3.4.5.6.PH1.2

QUANTITY	3SETS
N.W(kg)	27.1
Carton Size(cm)	48X28X35



ADTOCT0017 150PCS 1/4\"/>

13PCS 1/4\"/>

QUANTITY	3SETS
N.W(kg)	33.2
Carton Size(cm)	48X28X35



ADTOCT0018 219PCS 1/4\"/>

13PCS 1/4\"/>

QUANTITY	3SETS
N.W(kg)	32
Carton Size(cm)	48X28X35



ADTOCT0019 142PCS 1/4\"/>

- 9PCS 1/4"Socket: 4.4.5.5.5.6.7.8.9.10mm
- 5PCS 1/4"E-type Socket: E4.5.6.7.8mm
- 3PCS 1/4"Extension Bra: 50mm.100mm.150mm
- 1PC 1/4"Universal Joint
- 1PC 1/4"Fiexible Handie Bar 150mm
- 1PC 1/4"Spinner Handle 150mm
- 1PC 1/4"72T Ratchet Handle
- 15PCS 3/8"Socket:
- 6.7.8.9.10.11.12.13.14.15.16.17.18.19.21mm
- 5PCS 3/8"E-type Socket: E10.12.14.16.20mm
- 2PCS 3/8"Extension Bra: 75mm.150mm
- 1PC 3/8"Universal Joint
- 1PC 3/8"72T Fuil Polished&Flexible Design
- 19PCS 1/2"Socket:
- 8.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.27.30.32mm
- 2PCS 1/2"Spark plug socket: 16mm .21mm
- 2PCS 1/2"Extension Bra: 75mm.250mm
- 1PC 1/2"Universal Joint
- 1PC 1/2"3 Way Adaptor
- 1PC 1/2"L Tepe wrench250mm
- 1PC 1/2"Bits Holder 5/16"
- 1PC 1/2"Flexible Handle18"
- 1PC 1/2"72T Ratchet Handle
- 1PC 10"Locking Plier
- 1PC 7"Combination pliers
- 1PC 400g Machinist Hammer
- 2PCS Adaptor3/8"Fx1/2"M.3/8"FX1/4"M
- 5PCS Mirror Flare nut Wrench:
- 8x10mm.9x11mm.10x12mm.13x14mm.17x19mm
- 6PCS Screwdriver:
- PH2X38.SL6X38.PH2X100.SL6X100.PH2X150.SL6X150mm
- 10PCS Hexkey wrench: 2.5.3.4.5.6.7.8.10.12.14mm
- 16PCS Combination Spanners:
- 6.7.8.9.10.11.12.13.14.15.16.17.18.19.21.22mm
- 26PCS Bits H8x30mmL:
- T10.15.20.25.27.30.35.40.45.50.55.H5.5.5.6.6.5.7.8.10.12.SL6.6.5.8.PZ3.4.PH3.4

QUANTITY	2SETS
N.W(kg)	28
Carton Size(cm)	56.5X20X39



ADTOCT0020 144PCS 1/4\"/>

- 9PCS 1/4"Socket: 4.4.5.5.5.6.7.8.9.10mm
- 5PCS 1/4"E-type Socket: E4.5.6.7.8mm
- 3PCS 1/4"Extension Bra: 50mm.100mm.150mm
- 1PC 1/4"Spinner Handle 150mm
- 1PC 1/4"Universal Joint
- 1PC 1/4"72T Ratchet Handle
- 15PCS 3/8"Socket:
- 6.7.8.9.10.11.12.13.14.15.16.17.18.19.21mm
- 7PCS 3/8"E-type Socket: E8.10.11.12.14.16.18mm
- 2PCS 3/8"Extension Bra: 75mm.150mm
- 1PC 3/8"Universal Joint
- 1PC 3/8"Flexible bit drive ratchet handle
- 19PCS 1/2"Socket:
- 8.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.27.30.32mm
- 3PCS 1/2"Deep thin wall impact Sockets:
- 17-19-21mm(CR-MO)
- 2PCS 1/2"Spark plug socket: 16mm .21mm
- 2PCS 1/2"Extension Bra: 75mm.250mm
- 1PC 1/2"Universal Joint
- 1PC 1/2" 3 Way Adaptor
- 1PC 1/2"Bits Holder 5/16"
- 1PC 1/2"Flexible Handie 18"
- 1PC 1/2"L type handie 250mm
- 1PC 1/2"72T Ratchet Handle
- 1PC 7"Combination pliers
- 1PC 10"Locking Plier
- 1PC 400g Machinist Hammer
- 5PCS Flare nut Wrench:
- 8x10mm.9x11mm.10x12mm.13x14mm.17x19mm
- 6PCS Screwdriver:
- PH2X38.SL6X38.PH2X100.SL6X100.PH2X150.SL6X150mm
- 10PCS Hexkey wrench: 2.5.3.4.5.6.7.8.10.12.14mm
- 16PCS Combination Spanners:
- 6.7.8.9.10.11.12.13.14.15.16.17.18.19.21.22mm
- 26PCS Bits H8X30mmL:
- TX10.15.20.25.27.30.35.40.45.50.55.PZ3.4.PH3.4
- H5.5.5.6.6.5.7.8.10.12.SL6.6.5.8

QUANTITY	2SETS
N.W(kg)	28.3
Carton Size(cm)	56.5X20X39



ADTOCT0021 160PCS 1/4\"/>

13PCS 1/4\"/>

QUANTITY	2SETS
N.W(kg)	23
Carton Size(cm)	56.5X20X39



ADTOCT0022 180PCS 1/4\"/>

9PCS 1/4\"/>

QUANTITY	2SETS
N.W(kg)	29.1
Carton Size(cm)	56.5x20x39

ACCESSORIES & HAND TOOLS I



SDS-PLUS HAMMER DRILL BIT (SQUARE SHANK)



ITEM No.	SIZE	PACKING
PR-98002	6×110mm	10/400
PR-98003	6×150mm	10/400
PR-98004	8×150mm	10/400
PR-98005	10×150mm	10/400
PR-98006	12×150mm	10/400
PR-98007	14×150mm	10/400
PR-98008	16×150mm	10/400
PR-98011	6×200mm	10/300
PR-98012	8×200mm	10/300
PR-98013	10×200mm	10/300
PR-98014	12×200mm	10/300
PR-98015	14×200mm	10/300
PR-98016	16×200mm	10/300
PR-98017	18×200mm	10/200
PR-98018	20×200mm	10/150
PR-98019	22×200mm	10/150
PR-98020	25×200mm	10/150
PR-98021	10×350mm	1/100
PR-98022	12×350mm	1/100
PR-98023	14×350mm	1/100
PR-98024	16×350mm	1/100
PR-98025	18×350mm	1/100
PR-98026	20×350mm	1/100
PR-98027	22×350mm	1/50
PR-98028	25×350mm	1/50
PR-98029	28×350mm	1/50
PR-98030	30×350mm	1/30
PR-98031	32×350mm	1/30
PR-98032	35×350mm	1/30

INDUSTRIAL COBALT STRAIGHT SHANK TWIST DRILL BIT



ITEM No.	SIZE	PACKING
PR-97015	φ 1.5mm	10/100
PR-97020	φ 2.0mm	10/100
PR-97025	φ 2.5mm	10/100
PR-97028	φ 2.8mm	10/100
PR-97030	φ 3.0mm	10/100
PR-97031	φ 3.1mm	10/100
PR-97032	φ 3.2mm	10/100
PR-97033	φ 3.3mm	10/100
PR-97035	φ 3.5mm	10/100
PR-97038	φ 3.8mm	10/100
PR-97040	φ 4.0mm	10/100
PR-97041	φ 4.1mm	10/100
PR-97042	φ 4.2mm	10/100
PR-97043	φ 4.3mm	10/100
PR-97045	φ 4.5mm	10/100
PR-97048	φ 4.8mm	10/100
PR-97050	φ 5.0mm	10/100
PR-97052	φ 5.2mm	5/50
PR-97055	φ 5.5mm	5/50
PR-97060	φ 6.0mm	5/50
PR-97062	φ 6.2mm	5/50
PR-97065	φ 6.5mm	5/50
PR-97070	φ 7.0mm	5/50
PR-97075	φ 7.5mm	5/50
PR-97080	φ 8.0mm	5/50
PR-97085	φ 8.5mm	5/50
PR-97090	φ 9.0mm	5/50
PR-97095	φ 9.5mm	5/50
PR-97100	φ 10mm	5/50
PR-97105	φ 10.5mm	5/50
PR-97110	φ 11mm	5/50
PR-97115	φ 11.5mm	5/50
PR-97120	φ 12mm	5/50
PR-97125	φ 12.5mm	5/50
PR-97130	φ 13mm	5/50
PR-97135	φ 13.5mm	5/50

PNEUMATIC SCREWDRIVER BIT



ITEM No.	SIZE	PACKING
PR-80000	5×65mm PH2	10/1000
PR-80001	6.3×65mm PH2	10/1000
PR-80002	6.3×100mm PH2	10/1000
PR-80003	6.3×150mm PH2	10/500
PR-80004	6.3×200mm PH2	10/500
PR-80005	6.3×65mm -+	10/1000
PR-80008	6.3×100mm -+	10/1000
PR-80009	6.3×150mm-+	10/500

MULTI-PURPOSE TRIANGULAR POWER DRILL BIT



ITEM No.	SIZE	PACKING
PR-91261	5mm	10/1000
PR-91262	6mm	10/1000
PR-91263	8mm	10/1000
PR-91264	10mm	5/800
PR-91265	12mm	5/800

PREMIUM MAGNETIC RING DOUBLE-SEGMENT SCREWDRIVER BIT



ITEM No.	SIZE	PACKING
PR-03021	6.3×65mm	10/1000

ECCENTRIC CERAMIC TRIANGULAR DRILL BIT



ITEM No.	SIZE	PACKING
PR-91281	5mm	10/1000
PR-91282	6mm	10/1000
PR-91283	8mm	10/1000
PR-91284	10mm	5/800
PR-91285	12mm	5/800

IMPACT-RESISTANT SCREWDRIVER BIT



ITEM No.	SIZE	PACKING
PR-03042	6.3×65mm PH2	10/200
PR-03044	6.3×100mm PH2	10/200
PR-03045	6.3×150mm PH2	10/200

MULTI-PURPOSE CROSS POWER DRILL BIT



ITEM No.	SIZE	PACKING
PR-91271	5mm	10/1000
PR-91272	6mm	10/1000
PR-91273	8mm	10/1000
PR-91274	10mm	5/800
PR-91275	12mm	5/800

MULTI-PURPOSE CERAMIC TRIANGULAR DRILL BIT



ITEM No.	SIZE	PACKING
PR-91251	5mm	10/1000
PR-91252	6mm	10/1000
PR-91253	8mm	10/1000
PR-91254	10mm	5/800
PR-91255	12mm	5/800

SDS-PLUS CHISEL (SQUARE SHANK)



ITEM No.	SIZE	PACKING
PR-98080	14x250 (point)	1/50
PR-98081	14x250 (flat)	1/50
PR-98075	14x280 (point)	1/50
PR-98076	14x280 (flat)	1/50
PR-98082	14x400 (point)	1/20
PR-98083	14x400 (flat)	1/20

ANGLE GRINDER DISC



ITEM No.	SIZE	PACKING
PR-98300	100x6	25/200

DIAMOND FULL-CERAMIC PREMIUM MESH 110MM SAW BLADE (BRIGHT RED)



ITEM No.	SIZE	PACKING
PR-98500	110x20x1.2mm	20/200

DIAMOND GRANITE & STONE 114MM SAW BLADE (BRIGHT YELLOW)



ITEM No.	SIZE	PACKING
PR-98504	114x20x2.0mm	20/200

DIAMOND SLOTTING EXPERT PREMIUM 114MM SAW BLADE



ITEM No.	SIZE	PACKING
PR-98503	114x20x2.0mm	20/200

ABRASIVE GRINDING WHEEL



ITEM No.	SIZE	PACKING
PR-98350	350x3.8x25.4mm	1/25
PR-98400	400x3.2x32mm	1/25

ABRASIVE GRINDING WHEEL



ITEM No.	SIZE	PACKING
PR-98100	107x1.2x16	50/800

FLAP DISC



ITEM No.	SIZE	PACKING
PR-98001	100mm	400

PROFESSIONAL BI-COLOR HANDLE MINI WIRE CUTTER



ITEM No.	SIZE	PACKING
PR-42208	8" / 200mm	10/60

ERGONOMIC MINI WIRE CUTTER



ITEM No.	SIZE	PACKING
PR-42209	8" / 200mm	10/60

INDUSTRIAL CR-V STEEL LINEMAN PLIERS (PLIERS KING)



ITEM No.	SIZE	PACKING
PR-10030	8" / 200mm	6/60

PREMIUM FIBERGLASS HANDLE INSTALLER'S HAMMER



ITEM No.	SIZE	PACKING
PR-22347	30mm	80
PR-22348	35mm	64
PR-22349	40mm	48

INSULATED MAGNETIC CLAW HAMMER



ITEM No.	SIZE	PACKING
PR-22212	0.5kg	6/48

ONE-PIECE RUBBER MALLET



ITEM No.	SIZE	PACKING
PR-22065	1LB	50
PR-22066	1.5LB	50
PR-22067	2LB	50

OVERMOLDED FIBERGLASS HANDLE MAGNETIC CLAW HAMMER



ITEM No.	SIZE	PACKING
PR-22500	Square Head Straight Angle (0.5kg)	10/40
PR-22501	Round Head Straight Angle (0.5kg)	10/40
PR-22502	Square Head Bent Angle (0.5kg)	10/40
PR-22503	Round Head Bent Angle (0.5kg)	10/40

FIBERGLASS HANDLE BI-COLOR RUBBER MALLET



ITEM No.	SIZE	PACKING
PR-22060	500g	80
PR-22061	750g	60
PR-22062	1000g	50

FIBERGLASS HANDLE BALL PEEN HAMMER



ITEM No.	SIZE	PACKING
PR-22091	1LB	6/48
PR-22092	1.5LB	6/36
PR-22093	2LB	6/24
PR-22094	2.5LB	6/24
PR-22095	3LB	6/24

RED & GREEN LASER DISTANCE METER



ITEM No.	SIZE	PACKING
PR-74075	70M	1/20
PR-74100	100M	1/20

POLISHED RATCHET COMBINATION WRENCH



ITEM No.	SIZE	PACKING
PR-01306	6mm	10/100
PR-01307	7mm	10/100
PR-01308	8mm	10/100
PR-01309	9mm	10/100
PR-01310	10mm	10/100
PR-01311	11mm	10/100
PR-01312	12mm	10/100
PR-01313	13mm	10/100
PR-01314	14mm	10/100
PR-01315	15mm	10/100
PR-01316	16mm	10/100
PR-01317	17mm	10/100
PR-01318	18mm	10/100
PR-01319	19mm	10/100
PR-01320	20mm	10/60
PR-01321	21mm	10/60
PR-01322	22mm	10/60
PR-01323	23mm	10/60
PR-01324	24mm	5/50
PR-01325	25mm	5/30
PR-01327	27mm	5/30
PR-01330	30mm	5/20
PR-01332	32mm	5/20

PREMIUM LEATHER CASE STEEL TAPE MEASURE



ITEM No.	SIZE	PACKING
PR-71082	3m×16mm	12/180
PR-71083	5m×19mm	12/120
PR-71084	5m×25mm	12/120
PR-71085	7.5m×25mm	12/96
PR-71086	10m×25mm	10/80

POLISHED COMBINATION WRENCH



ITEM No.	SIZE	PACKING
PR-01201	6mm	20/240
PR-01202	7mm	20/200
PR-01203	8 mm	20/200
PR-01204	9 mm	20/200
PR-01205	10 mm	20/200
PR-01206	11 mm	20/200
PR-01207	12 mm	20/200
PR-01208	13 mm	10/150
PR-01209	14 mm	10/150
PR-01210	15 mm	10/150
PR-01211	16 mm	10/150
PR-01212	17 mm	5/100
PR-01213	18 mm	5/100
PR-01214	19 mm	5/100
PR-01215	20 mm	5/60
PR-01216	21 mm	5/60
PR-01217	22 mm	5/60
PR-01218	23 mm	5/45
PR-01219	24 mm	5/45
PR-01220	27 mm	5/45
PR-01221	30 mm	5/20
PR-01222	32 mm	5/20
PR-01223	34 mm	4/16
PR-01224	36 mm	4/12
PR-01225	38 mm	4/12
PR-01226	41 mm	2/12
PR-01227	46 mm	2/12
PR-01228	50 mm	2/12
PR-01229	55mm	2/12
PR-01230	60mm	2/12
PR-01231	65mm	2/12

RUBBER HANDLE ADJUSTABLE WRENCH



ITEM No.	SIZE	PACKING
PR-20021	6" / 150mm	6/48
PR-20022	8" / 200mm	6/48
PR-20023	10" / 250mm	6/36
PR-20024	12" / 300mm	6/36

SCAFFOLDER'S CHROME-PLATED WRENCH



ITEM No.	SIZE	PACKING
PR-83405	19-21-22	5/40

AMERICAN-STYLE BLACK PHOSPHATE ADJUSTABLE WRENCH




ITEM No.	SIZE	PACKING
PR-20032	8" / 200mm	6/120
PR-20033	10" / 250mm	6/60
PR-20034	12" / 300mm	6/36
PR-20035	15" / 375mm	2/20
PR-20036	18" / 450mm	2/12
PR-20037	24" / 600mm	1/6

RUBBER HANDLE SCAFFOLDER'S WRENCH



ITEM No.	SIZE	PACKING
PR-83409	19-21-22	5/40

F-TYPE WRENCH



ITEM No.	SIZE	PACKING
PR-83501	230mm	6/60
PR-83502	280mm	6/36
PR-83503	375mm	2/20

PREMIUM OVERMOLDED HEAVY-DUTY PIPE WRENCH



ITEM No.	SIZE	PACKING
PR-40000	8" / 200mm	10/60
PR-40001	10" / 250mm	8/48
PR-40002	12" / 300mm	6/36
PR-40003	14" / 350mm	6/24
PR-40004	18" / 450mm	4/16
PR-40005	24" / 600mm	2/12
PR-40006	36" / 900mm	1/5
PR-40007	48" / 1200mm	1/4

REBAR WRENCH



ITEM No.	SIZE	PACKING
PR-47001	18 寸 /450mm	16
PR-47002	24 寸 /600mm	12

DIGITAL TORQUE WRENCH



ITEM No.	SIZE	PACKING
PR-83080	1/4 (1-20) N.m	1/20
PR-83081	3/8 (1.5-30) N.m	1/20
PR-83082	3/8 (3-60) N.m	1/20
PR-83083	3/8 (6.8-135) N.m	1/20
PR-83084	1/2 (6.8-150) N.m	1/20
PR-83085	1/2 (10-200) N.m	1/20
PR-83086	1/2 (17-340) N.m	1/20
PR-83087	1/2 (68-135) N.m	

22-PIECE HOUSEHOLD TOOL GIFT SET



ITEM No.	SIZE	PACKING
PR-00022	22PC	1/5

MULTI-PURPOSE TOOL WAIST POUCH



ITEM No.	SIZE	PACKING
PR-59008		10/100

STAINLESS STEEL TOOLBOX



ITEM No.	SIZE	PACKING
PR-61114	14"	8
PR-61117	17"	6
PR-61119	19"	6

MULTI-PURPOSE ELECTRICIAN TOOL BAG



ITEM No.	SIZE	PACKING
PR-59006	400×230×270mm	10/50

CHANGSHA XIANGJIA METAL MATERIAL CO.,LTD.

HEAD QUARTERS:

9F,11F, 16F,18F MINGCHENG INTL BLDG, CHANGSHA CITY, CHINA

TEL: +86-193 1164 7152

Email: tools002@adtogroup.com

tools001@adtogroup.com

Website: www.adtotools.com

www.adtomall.com

PRODUCTION BASE #1: JIAYU COUNTY, HUBEI, CHINA

PRODUCTION BASE #2: JINGHAI COUNTY, TIANJIN, CHINA

PRODUCTION BASE #3: YONGKANG CITY ,ZHEJIANG,CHINA

PRODUCTION BASE #4: QIDONG CITY, JIANGSU, CHINA



XIANGJIA METAL 